


SANI-CEPTOR® STAINLESS STEEL FLOOR, AREA & INDIRECT WASTE DRAINS WITH 12 1/2" (320) NICKEL BRONZE SQUARE TOPS

FUNCTION: Used in all locations where superior sanitation, corrosion resistance, durability and longevity are required. Essential in restaurants, kitchens and all types of food handling areas for ultimate sanitation. Ideal for breweries, dairies, creameries and similar processing plants where sanitation is paramount.



FEATURES, OPTIONS AND ORDERING INFORMATION

REGULARLY FURNISHED: 14 Gauge Type 304 SS Receptor Body with Seepage Control Holes, 12 1/2" (320) SQ NB Rim and Secured Ribbed Grate with 1/2" (13) Square Holes. Perforated SS Dome Bottom Strainer or Sediment Bucket as indicated by Figure Number. Body Interior, Dome Bottom Strainer and Sediment Bucket are polished to No. 4 finish.

- VARIATIONS:**
- BW Butt Weld Outlet (Specify Schedule -S05, -S10 or -S40)
 - Less Seepage Control Holes -LSH
 - T Male Threaded Connection
 - Trap Primer Connection -P050 1/2"(13) & -P075 3/4"(19)
 - With Anchor Flange -F*
 - With Flange and Flashing Clamp -F-C*
 - With Vandal Proof Grate -U
- OPTIONAL MATERIALS:**
- Drains: Fabricated from Type 316 Stainless Steel
 - Funnel: Type 304 Stainless Steel
 - Funnel: Type 316 Stainless Steel
- Bucket Models Only:**
- With SS Dome Bottom Strainer -DBS
 - With SS Solid Bottom Ported Bucket -SBP
- NOTE:** When determining location of this drain, consideration must be given to traffic loading factors. When used in areas where the drain is subjected to any traffic loading heavier than pedestrian foot traffic, the location, load and description of load shall be submitted to Jay R. Smith Sales Engineering Department for evaluation and selection of proper grate.

OPTIONAL TOP GRATES AND COVERS

SUFFIX	DESCRIPTION	SUFFIX	DESCRIPTION
<input type="checkbox"/> -10	Less NB Rim and Grate	<input type="checkbox"/> -26	With NB Rim and Grate w/6(150) x 2 1/2(64) x 1"(25) High Oval NB Funnel
<input type="checkbox"/> -11	With NB Rim less Grate	<input type="checkbox"/> -41	With NB Rim and Solid Cover
<input type="checkbox"/> -12	With NB Rim and 1/2 Grate	<input type="checkbox"/> -42	With NB Rim and 1/2 Solid Cover
<input type="checkbox"/> -13	With NB Rim and 3/4 Grate	<input type="checkbox"/> -43	With NB Rim and 3/4 Solid Cover
<input type="checkbox"/> -14	With NB Rim and 2 1/2" (64) SQ Center Hole Grate	<input type="checkbox"/> -44	With NB Rim and 2 1/2" (64) DIA Center Hole Solid Cover
<input type="checkbox"/> -15	With NB Rim and Aluminum Recessed Grate	<input type="checkbox"/> -69	With 1" (25) Thick Underbolted NB Rim and Extra Heavy Duty Cast Stainless Steel Secured Grate
<input type="checkbox"/> -18	With NB Rim and Angle Grate		
<input type="checkbox"/> -19	With NB Rim and Hinged Grate		
<input type="checkbox"/> -21	With NB Rim and Grate with 4" (100) DIA NB Funnel		
<input type="checkbox"/> -22	With NB Rim and Grate with 6" (150) DIA NB Funnel		
<input type="checkbox"/> -25	With NB Rim and Grate w/8 1/4(210) x 3 1/4(83) x 4 1/2"(115) High Oval NB Funnel		

NOTE: Not Available with Prefix DX Models.
 NOTE: Dimensions shown in parentheses are in millimeters.

REV.	DATE	DESCRIPTION	BY	CKD. BY	WEIGHT POUNDS	VOLUME CUBIC FEET	FIGURE NUMBER
J	4-28-06	Chg'd Variations	RN	CL			3001NB, 3004NB, 3006NB, 3009NB
H	4-8-96	Rev Opt Grates	EMB	CL			
G	6-20-95	Added Millimeters	EMB	BS			
F	7-11-94	Revised	EMB	BS			

*Flange is Located 2" (51) from Top of Drain 3" (76) When Specified

DRAWING NUMBER: S3001NB
 SIZE: A
 SCALE: NONE
 DATE: 9-19-85
 APPROVED BY: SJM
 CHECKED BY: JD
 DRAWN BY: CM
 DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE
 WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

3001NB, 3004NB, 3006NB, 3009NB