



JAY R. SMITH MFG. CO.
 MEMBER OF ACORN'S FAMILY OF COMPANIES
 POST OFFICE BOX 3237
 MONTGOMERY, ALABAMA 36109-0237 (USA)
 TEL: 334-277-8520 FAX: 334-272-7396 www.jrsmith.com




LOCATION

NARROW WALL WARM CLIMATE HYDRANT


EXPOSED HOSE CONNECTION WITH INTEGRAL VACUUM BREAKER

FUNCTION: For installation in interior or exterior walls of building where an exposed hose connection is acceptable and there is no danger of freezing. Hydrant features an integral type vacuum breaker. Removable key prevents unauthorized use.



NOTES:

1. Recommended wall opening:
2 (51) x 3 3/4 (95).
2. All Jay R. Smith Hydrants are manufactured with "NO LEAD" brazing rings and USDA approved lubricants.
3. The AB1953, California Lead Law, and NSF/ANSI Standard 61-2008 - Drinking Water System Components are not applicable to Jay R. Smith hydrants as they do not convey/dispense water for human consumption through drinking or cooking.
4. Dimensions shown in parentheses are in millimeters.



A small amount of water seepage may occur from the vacuum breaker and operating screw upon initial opening and closing of the hydrant. This is normal operation.

REGULARLY FURNISHED:

All Bronze Warm Climate Hydrant with Chrome Plated Face, Hose Connection and Integral ASSE 1011 Vacuum Breaker, 360° Swivel Inlet Connection and "T" Handle Key.

DRAWING NUMBER
5618

SIZE
A

SCALE:
NONE

DATE:
08/06/09

APPROVED BY:
CL

CHECKED BY:
CL

DRAWN BY:
JJ

WE CAN ASSUME NO RESPONSIBILITY FOR USE OF SUPERSEDED OR VOID DATA

DIMENSIONS ARE SUBJECT TO MANUFACTURERS TOLERANCE AND CHANGE WITHOUT NOTICE

5618

FIGURE NUMBER

| | | | | |
|------|---------|---------------|----|---------|
| A | 10-7-09 | Revised Notes | RN | CL |
| REV. | DATE | DESCRIPTION | BY | CKD. BY |

| | | |
|---------------|-------------------|---------------|
| WEIGHT POUNDS | VOLUME CUBIC FEET | FIGURE NUMBER |
| | | 5618 |